

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1965	(313/498,500,501,505,495,496).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/12/10 10:08
S2	76	((313/498,500,501,505,495,496).CCLS.) and light and emitting and apparatus and insulator and anode and cathode not (((313/498,500,501,505,495,496).CCLS.) and light and emitting and apparatus and insulator and anode and cathode and (luminescen\$4))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/08/30 07:58
S3	39	((313/498,500,501,505,495,496).CCLS.) and light same emitting same apparatus and insulator and (anode, cathode, electrode) not (((313/498,500,501,505,495,496).CCLS.) and light and emitting and apparatus and insulator and anode and cathode and (luminescen\$4))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/08/30 07:58
S4	2	jp-05307997-\$.did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/08/30 07:59
S5	5	(("6037712") or ("6087770")).PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 11:53
S6	516	(313/498,500).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 17:22
S7	247	((313/498,500).CCLS.) and (platinum, palladium, nickel, gold, aluminum, copper, silver, tantalum, tungsten, molybdenum, titanium) and (anode, electrode, cathode, wiring)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 09:59
S8	180	((313/498,500).CCLS.) and (platinum, palladium, nickel, gold, aluminum, copper, silver, tantalum, tungsten, molybdenum, titanium) same (anode, electrode, cathode, wiring)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 12:49

S9	5	((("4786358") or ("5643826") or ("5923962")).PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 11:53
S10	0	((313/498,500).CCLS.) same (cathode with insulator)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 12:49
S11	5	((313/498,500).CCLS.) and (cathode with insulator)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 13:16
S12	25	((313/498,500).CCLS.) and (electrode with insulator)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 14:09
S13	47	((313/498,500).CCLS.) and (electrode with lumines\$4)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 14:06
S14	160	((313/498,500).CCLS.) and luminesce\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 14:58
S15	128	((313/498,500).CCLS.) and luminesce\$4 and method	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 14:59
S16	59	((313/498,500).CCLS.) and luminesce\$4 and method and cathode	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2002/09/10 14:59
S17	2	("6008588").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 16:59
S18	2	("5932327").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 16:59
S19	2	("6087770").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 17:00

S20	3	("6037712").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 17:00
S21	619	(313/483).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2002/09/10 17:22
S22	1179	(313/498,483,500).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2003/02/25 16:13
S23	56	(((313/498,483,500).CCLS.) and (@pd > "20020900")) and light	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/02/25 15:30
S24	57	((313/498,483,500).CCLS.) and (@pd > "20020900")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/02/25 15:31
S25	3088	(313/497,498,483,500,504,505, 506).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2003/02/25 16:19
S26	14	((("6339291") or ("6091196") or ("6037712") or ("6147442") or ("6290563") or ("6369495") or ("6280273") or ("6121726") or ("6307317") or ("6188176") or ("6320311") or ("5786796") or ("6091078") or ("6100860")).PN.	USPAT; USOCR	OR	OFF	2003/02/25 16:27
S27	11	("5133036" "5400047" "5804918" "5831384" "5923119" "5936346" "5981092" "5998926" "6008588" "6010796" "6013383").PN.	USPAT	OR	ON	2003/02/26 08:15
S28	6	"5400047".URPN.	USPAT	OR	ON	2003/02/26 08:26
S29	12	("1912560" "3741629" "3902790" "4258364" "4533217" "4614668" "4722594" "4744640" "4753517" "4804251" "4963788" "5163220").PN.	USPAT	OR	ON	2003/02/26 08:45

S30	4	((("6175186") or ("5163220")).PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2003/02/26 10:09
S31	2	("5400047").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2003/02/26 10:09
S32	12	("1912560" "3741629" "3902790" "4258364" "4533217" "4614668" "4722594" "4744640" "4753517" "4804251" "4963788" "5163220").PN.	USPAT	OR	ON	2003/02/26 10:09
S33	2	("5399936").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2003/02/26 10:20
S34	3	("4956031" "5085605" "5227252").PN.	USPAT	OR	ON	2003/02/26 10:23
S35	2538	((313/497,498,483,500,504,505, 506).CCLS.) and (electrode anode cathode)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2004/12/10 09:29
S36	1697	((313/497,498,483,500,504,505, 506).CCLS.) and (anode cathode)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/02/26 10:44
S37	234	((((313/497,498,483,500,504,505, 506).CCLS.) and (anode cathode)) and driver	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/02/26 10:44
S38	120	(((((313/497,498,483,500,504,505, 506).CCLS.) and (anode cathode)) and driver) and EL	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/02/26 10:45
S39	74	(((((313/497,498,483,500,504,505, 506).CCLS.) and (anode cathode)) and driver) and EL	USPAT	OR	ON	2003/02/26 11:00
S40	3	("6136622" "6165543" "6294892" "2001/0001050").PN.	USPAT	OR	ON	2003/02/26 10:50
S41	2	((("5,163,220") or ("5,227,252")). PN.	USPAT; USOCR	OR	OFF	2003/02/26 11:38
S42	49	(((((313/497,498,483,500,504, 505,506).CCLS.) and (anode cathode)) and driver) and EL) and pixel	USPAT	OR	ON	2003/02/26 11:00

S43	1	("6,359,606").PN.	USPAT; USOCR	OR	OFF	2003/02/26 11:38
S44	236	(313/498,500,501,505,495,496). ccls. and (@pd > "20030225")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 14:59
S45	185	((313/498,500,501,505,495,496). ccls. and (@pd > "20030225")) and (light near2 emit\$5)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 13:03
S46	113	((313/498,500,501,505,495,496). ccls. and (@pd > "20030225")) and (light near2 emit\$5)	USPAT	OR	ON	2004/05/03 16:10
S47	5	("3937998" "4441049" "5611959" "6096243" "6280655" "2002/0025901").PN.	USPAT	OR	ON	2003/09/24 13:39
S48	3	("5652067" "6380672" "6500295").PN.	USPAT	OR	ON	2003/09/24 13:50
S49	18	(313/498,500,501,505,495,496). ccls. and (((plasma adj display) or PDP) same (circuit))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 14:12
S50	12	("5136207" "5742122" "5763139" "5896001" "6008582" "6097149" "6249264" "6344715" "6348762" "6411032" "6411033" "6498430").PN.	USPAT	OR	ON	2003/09/24 14:16
S51	5	("5943031" "5982344" "6144163" "RE37083" "6243084").PN.	USPAT	OR	ON	2003/09/24 14:18
S52	3399	(PDP or (Plasma adj display)) and ((wiring bus) and circuit)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 14:58
S53	1996	(PDP or (Plasma adj display)) and ((wiring auxiliary bus) same circuit)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 14:59
S54	36	(313/498,500,501,505,495,496). ccls. and (((PDP or (Plasma adj display)) and ((wiring auxiliary bus) same circuit)))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 15:10
S55	12	macchiarolo.xa.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 15:01
S56	2	("6097149" "6457408").PN.	USPAT	OR	ON	2003/09/24 15:02

S57	298	(313/498,500,501,505,495,496). ccls. and (plasma adj display or (pdp))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 16:34
S58	29	((313/498,500,501,505,495,496). ccls. and (plasma adj display or (pdp))) and auxiliary	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 15:19
S59	1109	("313"/\$).ccls. and (plasma adj display or (pdp)) and dielectric	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 15:19
S60	473	((("313"/\$).ccls. and (plasma adj display or (pdp)) and dielectric) and (auxiliary bus)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 15:40
S61	37	"5541479".URPN.	USPAT	OR	ON	2003/09/24 15:23
S62	6	((("6,400,082") or ("6,099,753") or ("6097,149") or ("5,821,685") or ("5,618,467") or ("5,661,500"))). PN.	USPAT; USOCR	OR	OFF	2003/09/24 16:03
S63	1	("5661500").PN.	USPAT; USOCR	OR	OFF	2003/09/24 16:03
S64	0	(313/498,500,501,505,495,496). ccls. and (plasma adj display or (pdp)) and (COG adj system)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 17:19
S65	15	(313/498,500,501,505,495,496). ccls. and (plasma adj display or (pdp)) and (circuit driver) and (anisotropic)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/09/24 17:19
S66	2	("5661500").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/05/03 14:11
S67	3	("4956031" "5085605" "5227252").PN.	USPAT	OR	ON	2004/05/03 15:01
S68	12	("4803402" "5444330" "5483120" "5701055" "5742122" "5818168" "5900694" "5962970" "5962974" "6005344" "6013983" "6023125").PN.	USPAT	OR	ON	2004/05/03 15:32
S69	2	("4654559" "5256936").PN.	USPAT	OR	ON	2004/05/03 16:08
S70	99	((313/498,500,501,505,495,496). ccls. and (@pd > "20031006")) and (light near2 emit\$5)	USPAT	OR	ON	2004/12/10 09:20

S71	5	((("6479944") or ("6642992") or ("6332821") or ("5813893") or ("6254449")).PN.	USPAT; USOCR	OR	OFF	2004/05/04 09:16
S72	1	("6517403").PN.	USPAT; USOCR	OR	OFF	2004/05/03 16:26
S73	1	("5483120").PN.	USPAT; USOCR	OR	OFF	2004/05/04 09:16
S74	1630	(313/506).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/05/04 13:28
S75	36	((313/506).CCLS.) and williams. xa.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2004/05/04 10:38
S76	1846	((313/506) or (428/690)).CCLS.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/05/04 14:51
S77	3	("6037712").PN.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/05/04 14:52
S13 5	2	("6,794,886").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2004/12/09 16:24
S13 6	1	("6621213").URPN.	USPAT	OR	ON	2004/12/09 17:31
S13 7	42	light near emit\$4 same insulat\$3 same wiring same cathode	USPAT	OR	ON	2004/12/10 11:26
S13 8	45	anode same wiring same insulat\$3 same cathode same (luminescent electroluminescent light\$3emit\$4)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2004/12/10 09:30
S13 9	15	("4356429" "4539507" "4720432" "4769292" "4885211" "4950950" "5047687" "5059861" "5059862" "5061617" "5073446" "5151629" "5294869" "5294870" "5962962").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:50
S14 0	1	("6528824").URPN.	USPAT	OR	ON	2004/12/10 09:57

S14 1	5779	((428/690) or (257/10) or (313/498-506)).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/12/10 11:26
S14 3	28	S141 and light near emit\$4 same insulat\$3 same (wire metalization wiring) same cathode same anode	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/10 10:11
S14 4	15	("4356429" "4539507" "4720432" "4769292" "4885211" "4950950" "5047687" "5059861" "5059862" "5061617" "5073446" "5151629" "5294869" "5294870" "5962962").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 10:34
S14 5	3	("5652067" "6380672" "6500295").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 11:00
S14 6	3584	(257/100,91,99,98).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 11:23
S14 7	8525	S141 or S146	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/06/13 13:27
S14 8	138	S147 and light near emit\$4 same insulat\$3 same cathode same anode	USPAT	OR	ON	2005/06/13 13:27
S14 9	9	S147 and anode same reduce same consumption	USPAT	OR	ON	2004/12/10 13:14
S15 0	2	S147 and anode with reduce with consumption	USPAT	OR	ON	2004/12/10 13:14
S15 1	2	("20010024083").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/06/13 12:03
S15 2	6594	((428/690) or (257/10) or (313/498-506)).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/06/13 13:27
S15 3	3942	(257/100,91,99,98).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/13 13:27

S15 4	9640	S152 or S153	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/06/13 13:27
S15 5	9640	S154	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/06/13 13:27
S15 6	367	S155 and light near emit\$4 same insulat\$3 same cathode same anode	US-PGPUB; USPAT	OR	ON	2005/06/13 13:28
S15 7	73	S156 and @pd > "20041217"	US-PGPUB; USPAT	OR	ON	2005/06/13 13:29
S15 8	42	S157 and wir\$3	US-PGPUB; USPAT	OR	ON	2005/06/13 14:14
S15 9	2	("6538374").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/06/13 14:25
S16 0	2	("6538390").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/06/13 14:25
S16 1	3	("6153893" "6246070" "6351010").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 14:25
S16 2	2	("5399936").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/06/14 13:21
S16 3	30	("5399936").URPN.	USPAT	OR	ON	2005/06/14 13:25
S16 4	1	("2001/0024083").URPN.	USPAT	OR	ON	2005/06/14 13:40
S16 5	9	("20010011868" "20010024083" "20020011783" "20020021266" "20020033664" "5396149" "5557115" "6525467" "6559594").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 14:44
S16 6	1533	((313/500,505) (315/169.3)).ccls. and (wiring ((wiring contact bus auxiliary terminal metal) with electrode))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 14:47
S16 7	1533	((313/500,505) (315/169.3)).ccls. and (wiring ((wiring contact bus auxiliary terminal metal) with electrode))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 13:17

S16 8	191	S167 and (insulat\$3 same anode same cathode same (((EL electro\$3luminesc\$4) luminescen\$2 photo\$3luminescen\$3 phosphorescence phosphor fluorescent electro\$3luminescent)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 19:08
S16 9	1	("2001/0024083").URPN.	USPAT	OR	ON	2005/06/14 19:13
S17 0	11	("6366025").URPN.	USPAT	OR	ON	2005/06/15 10:57
S17 1	7	("5483120" "6366025" "6396218" "6541130" "6617785" "6624569" "6624570").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 12:01
S17 2	7	("5483120" "6366025" "6396218" "6541130" "6617785" "6624569" "6624570").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 12:42
S17 3	1	("2001/0024083").URPN.	USPAT	OR	ON	2005/06/15 12:59

S17 4	62	(US-20010024083-\$ or US-20010045565-\$ or US-20020017858-\$ or US-20020021081-\$ or US-20020024296-\$ or US-20020030436-\$ or US-20030146693-\$ or US-20020163314-\$ or US-20040066136-\$ or US-20040160167-\$).did. or (US-3786307-\$ or US-4945009-\$ or US-5163220-\$ or US-5399936-\$ or US-5400047-\$ or US-5483120-\$ or US-5589732-\$ or US-5608285-\$ or US-5646480-\$ or US-5652067-\$ or US-5850123-\$ or US-5923962-\$ or US-5932327-\$ or US-6008578-\$ or US-6037712-\$ or US-6072450-\$ or US-6087770-\$ or US-6133581-\$ or US-6137218-\$ or US-6140765-\$ or US-6153893-\$ or US-6175186-\$ or US-6180029-\$ or US-6215250-\$ or US-6246168-\$ or US-6265822-\$).did. or (US-6290563-\$ or US-6320311-\$ or US-6339288-\$ or US-6348761-\$ or US-6359606-\$ or US-6366025-\$ or US-6380672-\$ or US-6400073-\$ or US-6479930-\$ or US-6501217-\$ or US-6528824-\$ or US-6538390-\$ or US-6555253-\$ or US-6566806-\$ or US-6583581-\$ or US-6621213-\$ or US-6710542-\$ or US-6717361-\$ or US-6806643-\$ or US-6828727-\$ or US-6856089-\$ or US-6891328-\$ or US-6624569-\$ or US-6492778-\$).did. or (JP-05307997-\$ or US-20010024083-\$).did.	US-PGPUB; USPAT; DERWENT)	OR	ON	2005/06/15 13:16
S17 5	2	S174 and stick near3 driv\$3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:16
S17 6	8	((313/500,505) (315/169.3)).ccls. and (wiring ((wiring contact bus auxiliary terminal metal) with electrode)) and (stick near3 driv\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 13:28
S17 7	2	(("5400047") or ("6133581")).PN.	USPAT	OR	OFF	2005/06/15 13:29

S17 8	1	S174 and (((cog) (chip near2 glass)) near3 mount\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:16
S17 9	1533	((313/500,505) (315/169.3)).cccls. and (wiring ((wiring contact bus auxiliary terminal metal) with electrode))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/15 14:16
S18 0	11	S179 and (((cog) (chip near2 glass)) near3 mount\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:14
S18 1	6	S174 and bank	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:01
S18 2	27	codama.in. and el	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:01
S18 3	17	S179 and (driv\$3 with circuit\$2) same (anisotropic with conduct\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:15
S18 4	13	S179 and (driv\$3 with circuit\$2) same (anisotropic with conduct\$4)	USPAT	OR	ON	2005/06/15 15:18
S18 5	2	S179 and (driv\$3 with circuit\$2) same ((anisotropic with conduct\$4) and (wire))	USPAT	OR	ON	2005/06/15 15:18